

## ADJUSTABLE DIN MALE STUD BARREL TEE WITH O-RING AND WASHER

Thread BSP Parallel - Thread Metric Parallel


Type: **1067...1** Body
Type: **1068...1** Body




Type: **1067..** B3 Ring
Type: **1068..** B3 Ring




Type: **1067...4** B4 Ring
Type: **1068...4** B4 Ring




| Series DIN | 10.... [bar] | 11.... [bar] | Ordering Body | Ordering Equipped B3 | Ø Tube | G | L1 | L2 | L3 | L4 | CH1 | CH2 | CH3 | Ordering Equipped B4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | 315 | 315 | **106704.1** | **106704** | 6 | 1/8 | 19 | 12 | 26 | 27 | 11 | 14 | 14 | **106704.4** |
| | | | **106705.1** | **106705** | 8 | 1/4 | 21 | 14 | 32 | 29 | 14 | 19 | 17 | **106705.4** |
| | | | **106706.1** | **106706** | 10 | 1/4 | 22 | 15 | 32 | 30 | 14 | 19 | 19 | **106706.4** |
| | 250 | 250 | **106707.1** | **106707** | 12 | 3/8 | 24 | 17 | 37 | 32 | 19 | 22 | 22 | **106707.4** |
| | | | **106708.1** | **106708** | 15 | 1/2 | 28 | 21 | 44 | 36 | 22 | 27 | 27 | **106708.4** |
| | | | **106709.1** | **106709** | 18 | 1/2 | 31 | 23,5 | 47 | 40 | 27 | 27 | 32 | **106709.4** |
| | 160 | 160 | **106710.1** | **106710** | 22 | 3/4 | 35 | 27,5 | 51 | 44 | 27 | 36 | 36 | **106710.4** |
| | | | **106711.1** | **106711** | 28 | 1 | 38 | 30,5 | 53 | 47 | 33 | 41 | 41 | **106711.4** |
| | | | **106712.1** | **106712** | 35 | 1 1/4 | 45 | 34,5 | 59 | 56 | 41 | 50 | 50 | **106712.4** |
| | | | **106713.1** | **106713** | 42 | 1 1/2 | 51 | 40 | 64 | 63 | 48 | 55 | 60 | **106713.4** |
| S | 315 | 315 | **106714.1** | **106714** | 6 | 1/4 | 23 | 16 | 32 | 31 | 14 | 19 | 17 | **106714.4** |
| | | | **106715.1** | **106715** | 8 | 1/4 | 24 | 17 | 32 | 32 | 14 | 19 | 19 | **106715.4** |
| | 250 | 250 | **106716.1** | **106716** | 10 | 3/8 | 25 | 17,5 | 37 | 34 | 19 | 22 | 22 | **106716.4** |
| | | | **106717.1** | **106717** | 12 | 3/8 | 29 | 21,5 | 37 | 38 | 19 | 22 | 24 | **106717.4** |
| | | | **106718.1** | **106718** | 14 | 1/2 | 30 | 22 | 44 | 40 | 22 | 27 | 27 | **106718.4** |
| | | | **106719.1** | **106719** | 16 | 1/2 | 33 | 24,5 | 47 | 43 | 27 | 27 | 30 | **106719.4** |
| | | | **106720.1** | **106720** | 20 | 3/4 | 37 | 26,5 | 51 | 48 | 27 | 36 | 36 | **106720.4** |
| | 200 | 200 | **106721.1** | **106721** | 25 | 1 | 42 | 30 | 53 | 54 | 33 | 41 | 46 | **106721.4** |
| | | | **106722.1** | **106722** | 30 | 1 1/4 | 49 | 35,5 | 59 | 62 | 41 | 50 | 50 | **106722.4** |
| | 160 | 160 | **106723.1** | **106723** | 38 | 1 1/2 | 57 | 41 | 64 | 72 | 48 | 55 | 60 | **106723.4** |

**Note:** If you wish to order AISI 316 stainless steel fittings, please change the first two digits from **10....** to **11....** .
If you wish to order AISI 316 stainless steel fittings with AISI 304 stainless steel nuts, please change the first two digits from **10....** to **14....** .
Items not included in the ISO 8434-1 Norm available on request only.


| Series DIN | 10.... [bar] | 11.... [bar] | Ordering Body | Ordering Equipped B3 | Ø Tube | M | L1 | L2 | L3 | L4 | CH1 | CH2 | CH3 | Ordering Equipped B4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | 315 | 315 | **106804.1** | **106804** | 6 | 10x1 | 19 | 12 | 27 | 27 | 11 | 14 | 14 | **106804.4** |
| | | | **106805.1** | **106805** | 8 | 12x1,5 | 21 | 14 | 31 | 29 | 14 | 17 | 17 | **106805.4** |
| | | | **106806.1** | **106806** | 10 | 14x1,5 | 22 | 15 | 33 | 30 | 14 | 19 | 19 | **106806.4** |
| | | | **106807.1** | **106807** | 12 | 16x1,5 | 24 | 17 | 38 | 32 | 19 | 22 | 22 | **106807.4** |
| | | | **106808.1** | **106808** | 15 | 18x1,5 | 28 | 21 | 40 | 36 | 22 | 24 | 27 | **106808.4** |
| | 250 | 250 | **106809.1** | **106809** | 18 | 22x1,5 | 31 | 23,5 | 46 | 40 | 27 | 27 | 32 | **106809.4** |
| | 160 | 160 | **106810.1** | **106810** | 22 | 27x2 | 35 | 27,5 | 50,5 | 44 | 27 | 32 | 36 | **106810.4** |
| | | | **106811.1** | **106811** | 28 | 33x2 | 38 | 30,5 | 52,5 | 47 | 33 | 41 | 41 | **106811.4** |
| | | | **106812.1** | **106812** | 35 | 42x2 | 45 | 34,5 | 58 | 56 | 41 | 50 | 50 | **106812.4** |
| | | | **106813.1** | **106813** | 42 | 48x2 | 51 | 40 | 63 | 63 | 48 | 55 | 60 | **106813.4** |
| S | 315 | 315 | **106814.1** | **106814** | 6 | 12x1,5 | 23 | 16 | 31 | 31 | 14 | 17 | 17 | **106814.4** |
| | | | **106815.1** | **106815** | 8 | 14x1,5 | 24 | 17 | 33 | 32 | 14 | 19 | 19 | **106815.4** |
| | | | **106816.1** | **106816** | 10 | 16x1,5 | 25 | 17,5 | 38 | 34 | 19 | 22 | 22 | **106816.4** |
| | | | **106817.1** | **106817** | 12 | 18x1,5 | 29 | 21,5 | 38 | 38 | 19 | 24 | 24 | **106817.4** |
| | 250 | 250 | **106818.1** | **106818** | 14 | 20x1,5 | 30 | 22 | 44 | 40 | 22 | 27 | 27 | **106818.4** |
| | | | **106819.1** | **106819** | 16 | 22x1,5 | 33 | 24,5 | 48 | 43 | 27 | 27 | 30 | **106819.4** |
| | | | **106820.1** | **106820** | 20 | 27x2 | 37 | 26,5 | 50,5 | 48 | 27 | 32 | 36 | **106820.4** |
| | 200 | 200 | **106821.1** | **106821** | 25 | 33x2 | 42 | 30 | 52,5 | 54 | 33 | 41 | 46 | **106821.4** |
| | | | **106822.1** | **106822** | 30 | 42x2 | 49 | 35,5 | 58 | 62 | 41 | 50 | 50 | **106822.4** |
| | 160 | 160 | **106823.1** | **106823** | 38 | 48x2 | 57 | 41 | 63 | 72 | 48 | 55 | 60 | **106823.4** |

**Note:** If you wish to order AISI 316 stainless steel fittings, please change the first two digits from **10....** to **11....** .
If you wish to order AISI 316 stainless steel fittings with AISI 304 stainless steel nuts, please change the first two digits from **10....** to **14....** .
Items not included in the ISO 8434-1 Norm available on request only.


## ADJUSTABLE MALE STUD BARREL TEE WITH MALE STUD

Thread BSP Parallel - Thread Metric Parallel


Type: **6047...1** Body
Type: **6048...1** Body




Type: **6047..** B3 Ring
Type: **6048..** B3 Ring




Type: **6047...4** B4 Ring
Type: **6048...4** B4 Ring




| Series DIN | 60.... [bar] | 61.... [bar] | Ordering Body | Ordering Equipped B3 | Ø Tube | G | L1 | L2 | L3 | L4 | L5 | L6 | CH1 | CH2 | CH3 | Ordering Equipped B4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | 500 | 315 | **604704.1** | **604704** | 6 | 1/8 | 19 | 12 | 42,5 | 34,5 | 8 | 27 | 12 | 14 | 14 | **604704.4** |
| | | | **604705.1** | **604705** | 8 | 1/4 | 21 | 14 | 49,5 | 37,5 | 12 | 29 | 12 | 17 | 19 | **604705.4** |
| | | | **604706.1** | **604706** | 10 | 1/4 | 22 | 15 | 52 | 40 | 12 | 30 | 14 | 19 | 19 | **604706.4** |
| | 400 | | **604707.1** | **604707** | 12 | 3/8 | 24 | 17 | 54 | 42 | 12 | 32 | 17 | 22 | 22 | **604707.4** |
| | | | **604708.1** | **604708** | 15 | 1/2 | 28 | 21 | 60,5 | 46,5 | 14 | 36 | 19 | 27 | 27 | **604708.4** |
| | | | **604709.1** | **604709** | 18 | 1/2 | 31 | 23,5 | 64 | 50 | 14 | 40 | 24 | 32 | 27 | **604709.4** |
| | 250 | 160 | **604710.1** | **604710** | 22 | 3/4 | 35 | 27,5 | 71 | 55 | 16 | 44 | 27 | 36 | 32 | **604710.4** |
| | | | **604711.1** | **604711** | 28 | 1 | 38 | 30,5 | 77 | 59 | 18 | 47 | 36 | 41 | 41 | **604711.4** |
| | | | **604712.1** | **604712** | 35 | 1 1/4 | 45 | 34,5 | 89 | 69 | 20 | 56 | 41 | 50 | 50 | **604712.4** |
| | | | **604713.1** | **604713** | 42 | 1 1/2 | 51 | 40 | 97 | 75 | 22 | 63 | 50 | 60 | 55 | **604713.4** |
| S | 800 | 630 | **604714.1** | **604714** | 6 | 1/4 | 23 | 16 | 52 | 40 | 12 | 31 | 12 | 17 | 19 | **604714.4** |
| | | | **604715.1** | **604715** | 8 | 1/4 | 24 | 17 | 54,5 | 42,5 | 12 | 32 | 14 | 19 | 19 | **604715.4** |
| | | | **604716.1** | **604716** | 10 | 3/8 | 25 | 17,5 | 57,5 | 45,5 | 12 | 34 | 17 | 22 | 22 | **604716.4** |
| | 630 | | **604717.1** | **604717** | 12 | 3/8 | 29 | 21,5 | 60,5 | 48,5 | 12 | 38 | 17 | 24 | 22 | **604717.4** |
| | | | **604718.1** | **604718** | 14 | 1/2 | 30 | 22 | 68 | 54 | 14 | 40 | 19 | 27 | 27 | **604718.4** |
| | 420 | 400 | **604719.1** | **604719** | 16 | 1/2 | 33 | 24,5 | 69 | 55 | 14 | 43 | 24 | 30 | 27 | **604719.4** |
| | | | **604720.1** | **604720** | 20 | 3/4 | 37 | 26,5 | 81 | 65 | 16 | 48 | 27 | 36 | 32 | **604720.4** |
| | | | **604721.1** | **604721** | 25 | 1 | 42 | 30 | 91 | 73 | 18 | 54 | 36 | 46 | 41 | **604721.4** |
| | | | **604722.1** | **604722** | 30 | 1 1/4 | 49 | 35,5 | 99 | 79 | 20 | 62 | 41 | 50 | 50 | **604722.4** |
| | | 315 | **604723.1** | **604723** | 38 | 1 1/2 | 57 | 41 | 111 | 89 | 22 | 72 | 50 | 60 | 55 | **604723.4** |

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **60....** to **61....** .


| Series DIN | 60.... [bar] | 61.... [bar] | Ordering Body | Ordering Equipped B3 | Ø Tube | M | L1 | L2 | L3 | L4 | L5 | L6 | CH1 | CH2 | CH3 | Ordering Equipped B4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | 500 | 315 | **604804.1** | **604804** | 6 | 10x1 | 8 | 34,5 | 42,5 | 34,5 | 8 | 27 | 12 | 14 | 14 | **604804.4** |
| | | | **604805.1** | **604805** | 8 | 12x1,5 | 12 | 37 | 49,5 | 37,5 | 12 | 29 | 12 | 17 | 17 | **604805.4** |
| | | | **604806.1** | **604806** | 10 | 14x1,5 | 12 | 39,5 | 52 | 40 | 12 | 30 | 14 | 19 | 19 | **604806.4** |
| | 400 | | **604807.1** | **604807** | 12 | 16x1,5 | 12 | 41,5 | 54 | 42 | 12 | 32 | 17 | 22 | 22 | **604807.4** |
| | | | **604808.1** | **604808** | 15 | 18x1,5 | 14 | 45,5 | 58 | 46 | 14 | 36 | 19 | 27 | 24 | **604808.4** |
| | | | **604809.1** | **604809** | 18 | 22x1,5 | 14 | 49,5 | 64 | 50 | 14 | 40 | 24 | 32 | 27 | **604809.4** |
| | 250 | 160 | **604810.1** | **604810** | 22 | 26x1,5 | 16 | 54,5 | 71 | 55 | 16 | 44 | 27 | 36 | 32 | **604810.4** |
| | | | **604811.1** | **604811** | 28 | 33x2 | 18 | 59 | 77 | 59 | 18 | 47 | 36 | 41 | 41 | **604811.4** |
| | | | **604812.1** | **604812** | 35 | 42x2 | 20 | 68,5 | 89 | 69 | 20 | 56 | 41 | 50 | 50 | **604812.4** |
| | | | **604813.1** | **604813** | 42 | 48x2 | 22 | 75 | 97 | 75 | 22 | 63 | 50 | 60 | 55 | **604813.4** |
| S | 800 | 630 | **604814.1** | **604814** | 6 | 12x1,5 | 12 | 40 | 52 | 40 | 12 | 31 | 12 | 17 | 17 | **604814.4** |
| | | | **604815.1** | **604815** | 8 | 14x1,5 | 12 | 42 | 54,5 | 42,5 | 12 | 32 | 14 | 19 | 19 | **604815.4** |
| | | | **604816.1** | **604816** | 10 | 16x1,5 | 12 | 44,5 | 57,5 | 45,5 | 12 | 34 | 17 | 22 | 22 | **604816.4** |
| | 630 | | **604817.1** | **604817** | 12 | 18x1,5 | 12 | 47,5 | 60,5 | 48,5 | 12 | 38 | 17 | 24 | 24 | **604817.4** |
| | | | **604818.1** | **604818** | 14 | 20x1,5 | 14 | 53,5 | 68 | 54 | 14 | 40 | 19 | 27 | 27 | **604818.4** |
| | 420 | 400 | **604819.1** | **604819** | 16 | 22x1,5 | 14 | 54,5 | 69 | 55 | 14 | 43 | 24 | 30 | 27 | **604819.4** |
| | | | **604820.1** | **604820** | 20 | 27x2 | 16 | 64,5 | 81 | 65 | 16 | 48 | 27 | 36 | 32 | **604820.4** |
| | | | **604821.1** | **604821** | 25 | 33x2 | 18 | 72,5 | 91 | 73 | 18 | 54 | 36 | 46 | 41 | **604821.4** |
| | | | **604822.1** | **604822** | 30 | 42x2 | 20 | 78,5 | 99 | 79 | 20 | 62 | 41 | 50 | 50 | **604822.4** |
| | | 315 | **604823.1** | **604823** | 38 | 48x2 | 22 | 89 | 111 | 89 | 22 | 72 | 50 | 60 | 55 | **604823.4** |

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **60....** to **61....** .


## ADJUSTABLE MALE STUD BRANCH TEE WITH MALE STUD

Thread BSP Parallel - Thread Metric Parallel


Type: **6051...1** Body
Type: **6052...1** Body




Type: **6051..** B3 Ring
Type: **6052..** B3 Ring




Type: **6051...4** B4 Ring
Type: **6052...4** B4 Ring




| Series DIN | 60.... [bar] | 61.... [bar] | Ordering Body | Ordering Equipped B3 | Ø Tube | G | L1 | L2 | L3 | L4 | L5 | L6 | CH1 | CH2 | CH3 | Ordering Equipped B4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | 500 | 315 | **605104.1** | **605104** | 6 | 1/8 | 19 | 12 | 42,5 | 34,5 | 8 | 27 | 12 | 14 | 14 | **605104.4** |
| | | | **605105.1** | **605105** | 8 | 1/4 | 21 | 14 | 49,5 | 37,5 | 12 | 29 | 12 | 17 | 19 | **605105.4** |
| | | | **605106.1** | **605106** | 10 | 1/4 | 22 | 15 | 52 | 40 | 12 | 30 | 14 | 19 | 19 | **605106.4** |
| | 400 | | **605107.1** | **605107** | 12 | 3/8 | 24 | 17 | 54 | 42 | 12 | 32 | 17 | 22 | 22 | **605107.4** |
| | | | **605108.1** | **605108** | 15 | 1/2 | 28 | 21 | 60,5 | 46,5 | 14 | 36 | 19 | 27 | 27 | **605108.4** |
| | | | **605109.1** | **605109** | 18 | 1/2 | 31 | 23,5 | 64 | 50 | 14 | 40 | 24 | 32 | 27 | **605109.4** |
| | 250 | 160 | **605110.1** | **605110** | 22 | 3/4 | 35 | 27,5 | 71 | 55 | 16 | 44 | 27 | 36 | 32 | **605110.4** |
| | | | **605111.1** | **605111** | 28 | 1 | 38 | 30,5 | 77 | 59 | 18 | 47 | 36 | 41 | 41 | **605111.4** |
| | | | **605112.1** | **605112** | 35 | 1 1/4 | 45 | 34,5 | 89 | 69 | 20 | 56 | 41 | 50 | 50 | **605112.4** |
| | | | **605113.1** | **605113** | 42 | 1 1/2 | 51 | 40 | 97 | 75 | 22 | 63 | 50 | 60 | 55 | **605113.4** |
| S | 800 | 630 | **605114.1** | **605114** | 6 | 1/4 | 23 | 16 | 52 | 40 | 12 | 31 | 12 | 17 | 19 | **605114.4** |
| | | | **605115.1** | **605115** | 8 | 1/4 | 24 | 17 | 54,5 | 42,5 | 12 | 32 | 14 | 19 | 19 | **605115.4** |
| | | | **605116.1** | **605116** | 10 | 3/8 | 25 | 17,5 | 57,5 | 45,5 | 12 | 34 | 17 | 22 | 22 | **605116.4** |
| | 630 | | **605117.1** | **605117** | 12 | 3/8 | 29 | 21,5 | 60,5 | 48,5 | 12 | 38 | 17 | 24 | 22 | **605117.4** |
| | | | **605118.1** | **605118** | 14 | 1/2 | 30 | 22 | 68 | 54 | 14 | 40 | 19 | 27 | 27 | **605118.4** |
| | | 400 | **605119.1** | **605119** | 16 | 1/2 | 33 | 24,5 | 69 | 55 | 14 | 43 | 24 | 30 | 27 | **605119.4** |
| | 420 | | **605120.1** | **605120** | 20 | 3/4 | 37 | 26,5 | 81 | 65 | 16 | 48 | 27 | 36 | 32 | **605120.4** |
| | | | **605121.1** | **605121** | 25 | 1 | 42 | 30 | 91 | 73 | 18 | 54 | 36 | 46 | 41 | **605121.4** |
| | | | **605122.1** | **605122** | 30 | 1 1/4 | 49 | 35,5 | 99 | 79 | 20 | 62 | 41 | 50 | 50 | **605122.4** |
| | | 315 | **605123.1** | **605123** | 38 | 1 1/2 | 57 | 41 | 111 | 89 | 22 | 72 | 50 | 60 | 55 | **605123.4** |

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **60....** to **61....** .

| Series DIN | 60.... [bar] | 61.... [bar] | Ordering Body | Ordering Equipped B3 | Ø Tube | M | L1 | L2 | L3 | L4 | L5 | L6 | CH1 | CH2 | CH3 | Ordering Equipped B4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | 500 | 315 | **605204.1** | **605204** | 6 | 10x1 | 19 | 12 | 42,5 | 34,5 | 8 | 27 | 12 | 14 | 14 | **605204.4** |
| | | | **605205.1** | **605205** | 8 | 12x1.5 | 21 | 14 | 49,5 | 37,5 | 12 | 29 | 12 | 17 | 17 | **605205.4** |
| | | | **605206.1** | **605206** | 10 | 14x1.5 | 22 | 15 | 52 | 40 | 12 | 30 | 14 | 19 | 19 | **605206.4** |
| | 400 | | **605207.1** | **605207** | 12 | 16x1.5 | 24 | 17 | 54 | 42 | 12 | 32 | 17 | 22 | 22 | **605207.4** |
| | | | **605208.1** | **605208** | 15 | 18x1.5 | 28 | 21 | 58 | 46 | 14 | 36 | 19 | 27 | 24 | **605208.4** |
| | | | **605209.1** | **605209** | 18 | 22x1.5 | 31 | 23,5 | 64 | 50 | 14 | 40 | 24 | 32 | 27 | **605209.4** |
| | 250 | 160 | **605210.1** | **605210** | 22 | 26x1.5 | 35 | 27,5 | 71 | 55 | 16 | 44 | 27 | 36 | 32 | **605210.4** |
| | | | **605211.1** | **605211** | 28 | 33x2 | 38 | 30,5 | 77 | 59 | 18 | 47 | 36 | 41 | 41 | **605211.4** |
| | | | **605212.1** | **605212** | 35 | 42x2 | 45 | 34,5 | 89 | 69 | 20 | 56 | 41 | 50 | 50 | **605212.4** |
| | | | **605213.1** | **605213** | 42 | 48x2 | 51 | 40 | 97 | 75 | 22 | 63 | 50 | 60 | 55 | **605213.4** |
| S | 800 | 630 | **605214.1** | **605214** | 6 | 12x1.5 | 23 | 16 | 52 | 40 | 12 | 31 | 12 | 17 | 17 | **605214.4** |
| | | | **605215.1** | **605215** | 8 | 14x1.5 | 24 | 17 | 54,5 | 42,5 | 12 | 32 | 14 | 19 | 19 | **605215.4** |
| | | | **605216.1** | **605216** | 10 | 16x1.5 | 25 | 17,5 | 57,5 | 45,5 | 12 | 34 | 17 | 22 | 22 | **605216.4** |
| | 630 | | **605217.1** | **605217** | 12 | 18x1.5 | 29 | 21,5 | 60,5 | 48,5 | 12 | 38 | 17 | 24 | 24 | **605217.4** |
| | | | **605218.1** | **605218** | 14 | 20x1.5 | 30 | 22 | 68 | 54 | 14 | 40 | 19 | 27 | 27 | **605218.4** |
| | | 400 | **605219.1** | **605219** | 16 | 22x1.5 | 33 | 24,5 | 69 | 55 | 14 | 43 | 24 | 30 | 27 | **605219.4** |
| | 420 | | **605220.1** | **605220** | 20 | 27x2 | 37 | 26,5 | 81 | 65 | 16 | 48 | 27 | 36 | 32 | **605220.4** |
| | | | **605221.1** | **605221** | 25 | 33x2 | 42 | 30 | 91 | 73 | 18 | 54 | 36 | 46 | 41 | **605221.4** |
| | | | **605222.1** | **605222** | 30 | 42x2 | 49 | 35,5 | 99 | 79 | 20 | 62 | 41 | 50 | 50 | **605222.4** |
| | | 315 | **605223.1** | **605223** | 38 | 48x2 | 57 | 41 | 111 | 89 | 22 | 72 | 50 | 60 | 55 | **605223.4** |

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **60....** to **61....** .