DPC

dpc@dpc.com.tw

PRODUCT



DV

Specifications

Name	DV-200	DV-400	DV-213	DV-410
Drain type	Auto with manual drain (1)		Auto drain	
Operating pressure range	1.5 ~ 16 kgf/cm^2			
Ambient and media temperature	5 ~ 60 ◦ C			

Specifications

Name	DV-422	DV-425-3C	SDV-400	DVX-400
Drain type	Auto drain		Semi-auto drain(2)	Manual drain
Operating pressure range	1.5 ~ 16 kgf/cm^2		0.7 ~ 18 kgf/cm^2	
Ambient and media temperature	5 ~ 60 ◦ C			


1. Operainge direction :



2. The semi auto drain will open while the pressure is under 0.7 bar, and close while the pressure is above 1.2 bar.

DV 200 / Dimensions (mm)






DV 213 / Dimensions (mm)




DV 400 / Dimensions (mm)






DV 410 / Dimensions (mm)






DV 422 / Dimensions (mm)






DV 425-3C / Dimensions (mm)






SDV 400 / Dimensions (mm)





DVX 400 / Dimensions (mm)





FENG TIAN INDUSTRIAL CO., LTD.

CHING MEI ELECTRICAL MACHINE INDUSTRIAL CO., LTD.

HUANG SHIANG SHANGHAI PNEUMATIC INC.

Copyright © 2015 DPC Ind.